

NOTICE TO BIDDERS

**THE CITY OF SPRINGFIELD, MISSOURI
SPRINGFIELD-BRANSON NATIONAL AIRPORT
RECONSTRUCTION OF TAXIWAYS N, D, S; RUNWAY 14-32 REHABILITATION
IFB 2026-SGF-02
AIP PROJECT NO. 3-29-0077-078**

Sealed bids subject to the conditions and provisions presented herein will be received until **1:00 P.M. prevailing Central Time, June 5, 2026**, and then publicly opened and read at **Board Room, Springfield-Branson National Airport, 2300 North Airport Boulevard, Springfield, Missouri 65802**, for furnishing all labor, materials, equipment and performing all work necessary to complete the project titled:

RECONSTRUCTION OF TAXIWAY N, D, S; RUNWAY 14-32 REHABILITATION

Bidders may obtain complete sets of bidding documents in hard copy (required for bidding) and electronic format from the CRAWFORD, MURPHY & TILLY, INC.; Gateway Tower; One S. Memorial Drive, Suite 500; St. Louis, MO 63102 or by calling **Heidi Landon at 314-436-5500** for a **non-refundable** fee of **\$85.00**, made payable to Crawford, Murphy & Tilly, Inc. Questions regarding bids shall be directed to Brian Hutsell, Project Manager at Crawford, Murphy & Tilly, Inc. (CMT) at the above address, or at bhutsell@cmtengr.com or by calling 314-571-9077. The list of bid document recipients compiled by CMT will be used to distribute addenda. **Prime bidders are encouraged to contact CMT to add or verify their contact information is on this list.**

A **non-mandatory** prebid for this project will be held at **3:00 PM prevailing Central Time, Tuesday, May 19, 2026** at the **Board Room, Springfield-Branson National Airport, 2300 North Airport Boulevard, Springfield, Missouri 65802**. A Microsoft Teams link to the pre-bid conference (meeting audio and any associated visual aids) will be available by emailing a request to bhutsell@cmtengr.com.

Contract Work Items Summary. The quantities noted below are subject to change. See the bid proposal section for accurate line items and quantities.

BASE BID

Work Item	Quantity	Unit
CONTRACTOR'S QUALITY CONTROL PROGRAM (CQCP)	1	LS
SILT SOCK (INSTALL, MAINTAIN, REMOVE)	7,070	LF
INLET PROTECTION (INSTALL, MAINTAIN, REMOVE)	5	EA
HEAVY DUTY EROSION CONTROL BLANKET (INSTALL, MAINTAIN)	3,034	SY
MOBILIZATION (10% LIMIT)	1	LS
PAVEMENT REMOVAL - 15" PCC ON 6" BITUMINOUS DRAINAGE LAYER	1,096	SY
PAVEMENT REMOVAL - 8" PCC OVERLAY ON 9" PCC	5,655	SY
PAVEMENT REMOVAL - 8" PCC OVERLAY ON 9" PCC - HAND REMOVAL	55	SY
PAVEMENT REMOVAL - 13" PCC ON 6" BITUMINOUS BASE COURSE (ON 5" SUBBASE)	9,812	SY
PAVEMENT REMOVAL - 13" PCC ON 6" BITUMINOUS BASE COURSE (ON 5" SUBBASE) - HAND REMOVAL	162	SY
PAVEMENT REMOVAL - 14" PCC (ON 6" CRUSHED AGGREGATE BASE COURSE)	1,295	SY
PAVEMENT REMOVAL - 14" PCC (ON 6" CRUSHED AGGREGATE BASE COURSE) - HAND REMOVAL	112	SY
PAVEMENT REMOVAL - 15" PCC (ON 6" CRUSHED AGGREGATE BASE COURSE)	6,815	SY
EXISTING JOINT RE-SEALING (REMOVE EXISTING SEALANT, CHAMFER EDGES AND RE-SEAL)	3,700	LF
UNCLASSIFIED EXCAVATION - ON-SITE PLACEMENT	918	CY
UNCLASSIFIED EXCAVATION - OFF-SITE DISPOSAL	9,339	CY
UNCLASSIFIED EXCAVATION - UNDERCUT, OFF-SITE DISPOSAL	1,026	CY
12" RECYCLED CONCRETE AGGREGATE SUB-BASE COURSE	24,920	SY
SEPERATION FABRIC	24,920	SY
6" CEMENT TREATED PERMEABLE BASE COURSE (CTPB)	24,920	SY
CEMENT CONCRETE PAVEMENT - 12.5"	1,753	SY
CEMENT CONCRETE PAVEMENT - 14"	22,336	SY
PAVEMENT MARKING REMOVAL	31,026	SF

SURFACE PAINTED HOLD SIGNS (THERMOPLASTIC)	3,720	SF
SURFACE PAINTED TAXIWAY DIRECTION AND LOCATION MARKINGS (THERMOPLASTIC)	710	SF
TAXIWAY EDGE LINES (DASHED) (THERMOPLASTIC)	188	SF
RUNWAY HOLD LINES (THERMOPLASTIC)	4,088	SF
NON-MOVEMENT LINE (THERMOPLASTIC)	0	SF
TAXIWAY ENHANCED CENTERLINES (THERMOPLASTIC) INSTALLATION	3,913	SF
TAXIWAY ENHANCED CENTERLINES (THERMOPLASTIC) MATERIALS	3,913	SF
WATERBORNE PAINT, YELLOW, WITH REFLECTIVE MEDIA	17,118	SF
WATERBORNE PAINT, BLACK, WITHOUT REFLECTIVE MEDIA	17,118	SF
TEMPORARY MARKINGS, WHITE OR YELLOW, WITH REFLECTIVE MEDIA	500	SF
TEMPORARY MARKINGS, BLACK, WITHOUT REFLECTIVE MEDIA	500	SF
REMOVE EXISTING REINFORCED CONCRETE PIPE	745	LF
15" REINFORCED CONCRETE PIPE	25	LF
18" REINFORCED CONCRETE PIPE	716	LF
24" REINFORCED CONCRETE PIPE	251	LF
6" PERFORATED PIPE FOR UNDERDRAINS	3,189	LF
6" NON-PERFORATED PIPE FOR UNDERDRAINS	667	LF
REMOVE EXISTING INLET	2	EA
REMOVE EXISTING MANHOLE	5	EA
NEW INLET	4	EA
NEW MANHOLE	2	EA
UNDERDRAIN CLEANOUTS	19	EA
UNDERDRAIN COLLECTION STRUCTURES	7	EA
UNDERDRAIN OUTLET PIT	2	EA
UNDERDRAIN DIRECT CONNECTION	9	EA
INSTALL TEMPORARY CONSTRUCTION ACCESS GATE, 8' WITH 3-STRAND BARBED WIRE (24' DOUBLE SWING)	2	EA
REMOVAL OF TEMPORARY CONSTRUCTION ACCESS GATE	2	EA
INSTALL TEMPORARY CONSTRUCTION FENCING, 8' WITH 3-STRAND BARBED WIRE	1,967	LF
REMOVE TEMPORARY CONSTRUCTION FENCING	1,967	LF
HYDROSEEDING	10.1	AC
SODDING	1,720	SY
TOPSOILING (ON-SITE OR IMPORT) - 2" THICKNESS	23,604	SY
HYDROMULCHING	10.1	AC
AIRPORT UNDERGROUND CABLE (1-1/C, #8 AWG, L-824, 5KV)	19,429	LF
1/C, #6 BARE COPPER GUARD WIRE (COUNTERPOISE)	3,683	LF
GROUND ROD - 3/4" X 10' (BASE CANS AND COUNTERPOISE SYSTEM)	19	EA
DIRECT BURY PVC ELECTRICAL DUCT - 2" PVC	11,859	LF
CONCRETE ENCASED PVC ELECTRICAL DUCT - 2" PVC	50	LF
CONCRETE ENCASED PVC ELECTRICAL DUCT BANK - 4-WAY, 4-INCH	887	LF
CONCRETE ENCASED SPLIT PVC ELECTRICAL DUCT	200	LF
NEW ELECTRICAL HANDHOLE - 4' X 4' X 4' PRECAST CONCRETE (HS-20 RATED)	8	EA
NEW ELECTRICAL HANDHOLE - 4' X 4' X 4' PRECAST CONCRETE (AIRCRAFT RATED)	1	EA
ELECTRICAL SPLICE CAN/JUNCTION BOX	1	EA
REMOVE EXISTING AIRFIELD GUIDANCE SIGNS ON CONCRETE BASE	15	EA
REMOVE EXISTING RUNWAY EDGE LIGHTS	3	EA
REMOVE EXISTING TAXIWAY EDGE LIGHTS	63	EA
REMOVE ELECTRICAL JUNCTION BOX	16	EA
REMOVE ELEVATED RUNWAY GUARD LIGHTS	4	EA
TEMPORARY CONNECTIONS	1	EA
L-858(L) LED-LIGHTED AIRFIELD GUIDANCE SIGN ON CONCRETE BASE WITH MOW STRIP	14	EA
L-860 INCANDESCENT RUNWAY LIGHT, BASE MOUNTED, IN TURF	2	EA
L-850C INCANDESCENT SEMI-FLUSH RUNWAY EDGE LIGHT, IN-PAVEMENT	1	EA
L-861T(L) LED TAXIWAY EDGE LIGHT, BASE MOUNTED, IN TURF	105	EA
L-852G(L) LED IN-PAVEMENT RUNWAY GUARD LIGHT	22	EA
L-804(L) LED ELEVATED RUNWAY GUARD LIGHT, BASE MOUNTED, IN-TURF	4	EA
EXISTING CEMENT CONCRETE PAVEMENT SPALL/CORNER REPAIRS	275	SF
SELECT PANEL/PARTIAL PANEL FULL DEPTH REMOVAL AND REPLACEMENT	580	SY
RWIS RPU EQUIPMENT UPGRADES - INSTALLATION	1	LS
RUNWAY SENSOR/SUBSENSOR TYPE V CONTROL CABLES (IN 2" UNIT DUCT)	13,862	LF
DIRECTIONAL BORE - 2" PVC CONDUIT SCHEDULE 80	435	LF
INSTALL JUNCTION BOX FOR DIRECTIONAL BORE CONNECTION	10	EA
RUNWAY SENSOR/SUBSENSOR INSTALLATION	1	PAIR

ADDITIVE ALTERNATE NO. 1

Work Item	Quantity	Unit
CONTRACTOR'S QUALITY CONTROL PROGRAM (CQCP)	1	LS
SILT SOCK (INSTALL, MAINTAIN, REMOVE)	948	LF
INLET PROTECTION (INSTALL, MAINTAIN, REMOVE)	3	EA
HEAVY DUTY EROSION CONTROL BLANKET (INSTALL, MAINTAIN)	675	SY
MOBILIZATION (10% LIMIT)	1	LS
PAVEMENT REMOVAL - 13" PCC ON 6" BITUMINOUS BASE COURSE (ON 5" SUBBASE)	6,915	SY
PAVEMENT REMOVAL - 13" PCC ON 6" BITUMINOUS BASE COURSE (ON 5" SUBBASE) - HAND REMOVAL	224	SY
PAVEMENT REMOVAL - 15" PCC (ON 6" CRUSHED AGGREGATE BASE COURSE)	5,628	SY
UNCLASSIFIED EXCAVATION - ON-SITE PLACEMENT	432	CY
UNCLASSIFIED EXCAVATION - OFF-SITE DISPOSAL	77	CY
UNCLASSIFIED EXCAVATION - UNDERCUT, OFF-SITE DISPOSAL	339	CY
12" RECYCLED CONCRETE AGGREGATE SUB-BASE COURSE	7,406	SY
SEPERATION FABRIC	7,406	SY
6" CEMENT TREATED PERMEABLE BASE COURSE (CTPB)	7,406	SY
CEMENT CONCRETE PAVEMENT - 13"	7,226	SY
PAVEMENT MARKING REMOVAL	5,087	SF
TAXIWAY EDGE LINES (DASHED) (THERMOPLASTIC)	960	SF
NON-MOVEMENT LINE (THERMOPLASTIC)	4,232	SF
WATERBORNE PAINT, YELLOW, WITH REFLECTIVE MEDIA	780	SF
WATERBORNE PAINT, BLACK, WITHOUT REFLECTIVE MEDIA	780	SF
6" PERFORATED PIPE FOR UNDERDRAINS	793	LF
6" NON-PERFORATED PIPE FOR UNDERDRAINS	142	LF
UNDERDRAIN CLEANOUTS	2	EA
UNDERDRAIN COLLECTION STRUCTURES	1	EA
UNDERDRAIN DIRECT CONNECTION	1	EA
HYDROSEEDING	1.1	AC
SODDING	250	SY
TOPSOILING (ON-SITE OR IMPORT) - 2" THICKNESS	5,176	SY
HYDROMULCHING	1.1	AC
AIRPORT UNDERGROUND CABLE (1-1/C, #8 AWG, L-824, 5KV)	1,698	LF
1/C, #6 BARE COPPER GUARD WIRE (COUNTERPOISE)	781	LF
GROUND ROD - 3/4" X 10' (BASE CANS AND COUNTERPOISE SYSTEM)	1	EA
DIRECT BURY PVC ELECTRICAL DUCT - 2" PVC	859	LF
REMOVE EXISTING TAXIWAY EDGE LIGHTS	11	EA
TEMPORARY CONNECTIONS	1	EA
L-861T(L) LED TAXIWAY EDGE LIGHT, BASE MOUNTED, IN TURF	1	EA
L-861T INCANDESCENT TAXIWAY EDGE LIGHT, BASE MOUNTED, IN TURF	9	LS

ADDITIVE ALTERNATE NO. 2

Work Item	Quantity	Unit
CONTRACTOR'S QUALITY CONTROL PROGRAM (CQCP)	1	LS
SILT SOCK (INSTALL, MAINTAIN, REMOVE)	525	LF
INLET PROTECTION (INSTALL, MAINTAIN, REMOVE)	1	EA
HEAVY DUTY EROSION CONTROL BLANKET (INSTALL, MAINTAIN)	340	SY
MOBILIZATION (10% LIMIT)	1	LS
PAVEMENT REMOVAL - 15" PCC ON 6" BITUMINOUS DRAINAGE LAYER	829	SY
PAVEMENT REMOVAL - 8" PCC OVERLAY ON 9" PCC	1,507	SY
PAVEMENT REMOVAL - 15" PCC (ON 6" CRUSHED AGGREGATE BASE COURSE)	5,614	SY
UNCLASSIFIED EXCAVATION - ON-SITE PLACEMENT	398	CY
UNCLASSIFIED EXCAVATION - OFF-SITE DISPOSAL	395	CY
UNCLASSIFIED EXCAVATION - UNDERCUT, OFF-SITE DISPOSAL	3,547	CY
12" RECYCLED CONCRETE AGGREGATE SUB-BASE COURSE	8,311	SY
SEPERATION FABRIC	8,311	SY
6" CEMENT TREATED PERMEABLE BASE COURSE (CTPB)	8,311	SY
CEMENT CONCRETE PAVEMENT - 14"	8,163	SY
PAVEMENT MARKING REMOVAL	4,760	SF
TAXIWAY EDGE LINES (DASHED) (THERMOPLASTIC)	1,000	SF
TAXIWAY ENHANCED CENTERLINES (THERMOPLASTIC) INSTALLATION	470	SF
TAXIWAY ENHANCED CENTERLINES (THERMOPLASTIC) MATERIALS	470	SF
WATERBORNE PAINT, YELLOW, WITH REFLECTIVE MEDIA	3,067	SF
WATERBORNE PAINT, BLACK, WITHOUT REFLECTIVE MEDIA	3,067	SF
6" PERFORATED PIPE FOR UNDERDRAINS	382	LF
6" NON-PERFORATED PIPE FOR UNDERDRAINS	110	LF
UNDERDRAIN CLEANOUTS	4	EA
UNDERDRAIN COLLECTION STRUCTURES	1	EA
UNDERDRAIN DIRECT CONNECTION	1	EA
HYDROSEEDING	0.7	AC
SODDING	140	SY
TOPSOILING (ON-SITE OR IMPORT) - 2" THICKNESS	3,646	SY
HYDROMULCHING	0.7	AC
AIRPORT UNDERGROUND CABLE (1-1/C, #8 AWG, L-824, 5KV)	1,322	LF
1/C, #6 BARE COPPER GUARD WIRE (COUNTERPOISE)	377	LF
GROUND ROD - 3/4" X 10' (BASE CANS AND COUNTERPOISE SYSTEM)	2	EA
DIRECT BURY PVC ELECTRICAL DUCT - 2" PVC	661	LF
ELECTRICAL SPLICE CAN/JUNCTION BOX	1	EA
REMOVE EXISTING TAXIWAY EDGE LIGHTS	4	EA
TEMPORARY CONNECTIONS	1	EA
L-858(L) LED-LIGHTED AIRFIELD GUIDANCE SIGN ON CONCRETE BASE WITH MOW STRIP	1	EA
L-861T INCANDESCENT TAXIWAY EDGE LIGHT, BASE MOUNTED, IN TURF	4	EA

Contract Time. The City of Springfield, MO (Owner) has established a contract performance time for the Base Bid of **one hundred five (105)** calendar days from the date of the Notice-to-Proceed. An additional **fourteen (14)** calendar days will be added for the Additive Alternate No. 1 work. An additional **forty-nine (49) calendar days** will be allowed for the Additive Alternate No. 2 work. All project work shall be substantially completed within the stated timeframe. This project is subject to liquidated damages as prescribed in the project manual.

Bid Guarantee. Each bidder must furnish a bid guarantee equivalent to **5% of the total bid amount**. This may be in the form of a bid bond or a certified check payable to the **The City of Springfield, Missouri**. A bid guarantee provides assurance to the sponsor that the prospective bidder will honor its submitted bid and will execute a contract if selected as the successful bidder. The bid guarantee amount must include the total bid amount.

Bonding Requirements. The successful bidder must furnish a separate performance and payment bonds each in an amount equal to 100% of the contract price at the time of contract execution.

Award of Contract. All proposals submitted in accordance with the instructions presented herein will be subject to evaluation. Bids may be held by the **City of Springfield, Missouri** for a period not to exceed **one hundred twenty (120) calendar days** from the date of the bid opening for the purpose of conducting the bid evaluation.

Award of contract will be made to the lowest aggregate sum proposal submitted from those bidders that are confirmed as being responsive and responsible and whose bid conforms with all the terms and conditions of the Invitation for Bids & Instructions to Bidders. The **City of Springfield, Missouri** reserves the right to select any one bid which in the judgment of the Owner, best serves the Owner's interest, to reject any or all bids and to re-advertise this solicitation at a later date. The City may waive any irregularities in the bid and make awards that are in the best interest of the City. .

The **City of Springfield, Missouri** has applied for federal assistance to fully fund this project. Award of a contract to a bidder is contingent upon the FAA concurring in the award to the successful bidder and providing a federal grant to the City of Springfield under the Airport Improvement Program (AIP).

Additional Contract Provisions:

Modification to the project documents may only be made by written addendum by the Owner or Owner's authorized Representative.

The proposal must be made on the forms provided within the bound project manual. No bid will be considered unless the bidder is on the official plan holder list held by the Engineer. Bidders must supply all required information prior to the time of bid opening.

Federal Provisions:

This project is subject to the following Federal provisions, statutes and regulations, some of which are listed below in the Notice to Bidders. All federal provisions are presented in greater detail in Part II, General Construction Items, Part A, Federal Provisions:

A. Disadvantaged Business Enterprise – 49 CFR Part 26: The requirements of 49 CFR Part 26 including any amendments thereto apply to this contract. It is the policy of the City of Springfield, Missouri to practice nondiscrimination based on race, color, sex, or national origin in the award or performance of this contract. The City encourages participation by all firms qualifying under this solicitation regardless of business size or ownership.

B. Title VI Solicitation Notice

The City of Springfield, Missouri , in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4), 28 CFR § 50.3, and 49 CFR Part 21, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, all contractors will be afforded full opportunity to submit bids in response to this invitation and will not be

discriminated against on the grounds of the owner's race, color, national origin, sex, creed, age, or disability in consideration for an award

C. Other Federal Provisions that Apply:

Bidders are hereby notified by reference that Federal Contract Provisions are included in this solicitation. The federal contract provisions are located in Part II, General Construction Items, Part A, Federal Provisions and consist of the following:

1. Access to Records and Reports
2. Buy American Preference: 49 USC 50101
3. Civil Rights – General & Title VI Assurances: 49 USC § 47123
4. Energy Conservation Requirements
5. Prohibition on Certain Telecommunications and Video Surveillance Services or Equipment
6. Federal Fair Labor Standards Act (Federal Minimum Wage)
7. Occupational Safety and Health Act of 1970
8. Rights to Inventions
9. Seismic Safety
10. Tax Delinquency and Felony Convictions
11. Trade Restriction Certification: 49 CFR Part 30
12. Veteran's Preference
13. Domestic Preferences for Procurements
14. Prohibition of Covered Unmanned Aircraft Systems (UAS)
15. Copeland 'Anti-Kickback' Act
16. Davis Bacon Requirements: 2 CFR Part 5
17. Procurement of Recovered Materials: 40 CFR Part 247
18. Termination of Contract
19. Distracted Driving: EO 13513
20. Debarment and Suspension: 2 CFR Part 180, Subpart C; 2 CFR Part 1200; DOT Order 4200.5
21. Contract Workhours and Safety Standards Act Requirements: 2 CFR, 200 Appendix II €
22. Lobbying and Influencing Federal Employees: Appendix A to 49 CFR Part 20
23. Clean Air and Water Pollution Control
24. Breach of Contract Terms: 2 CFR 200, Appendix II(A)
25. Disadvantaged Business Enterprise 49 CFR Part 26